


PEHD - PE 100 - PE 100 RC Produkter Fittings LANG Stuksvejsning



PE 100 LANG Stuksvejsnings Fittings

Rørsystemer			
 <p style="text-align: center;">Vinkel 90°</p> <p>SDR 11 = 025 - 500 mm. SDR 17 = 063 - 500 mm. SDR 7,4 = 063 - 200 mm.</p>	 <p style="text-align: center;">Bøjning m. Ben 90°</p> <p>SDR 11 = 355 - 500 mm. SDR 17 = 355 - 500 mm.</p>	 <p style="text-align: center;">Vinkel 45° (30° Mulighed)</p> <p>SDR 11 = 025 - 1400 mm. SDR 17 = 050 - 1400 mm.</p>	 <p style="text-align: center;">Bøjning 90° R 1 x Da</p> <p>SDR 11 = 020 - 500 mm. SDR 17 = 063 - 500 mm.</p>
 <p style="text-align: center;">Bøjning 45° R 1 x Da</p> <p>SDR 11 = 110 - 500 mm. SDR 17 = 110 - 500 mm. SDR 33 = 110 - 500 mm.</p>	 <p style="text-align: center;">Bøjning 90° R 1,5 x Da R 2x Da SDR 60°-45°-30°-22°-11°</p> <p>SDR 11 = 050 - 900 mm. SDR 17 = 050 - 900 mm. SDR 7,4 = 225 - 500 mm.</p>	 <p style="text-align: center;">Bøjning 90° R 1,5 x Da SDR 60°-45°-30°-22°-11°</p> <p>SDR 11 = 110 - 1200 mm. SDR 17 = 110 - 1200 mm. SDR 26 = 560 - 1200 mm. SDR 33 = 110 - 1200 mm. SDR 41 = 560 - 1200 mm.</p>	 <p style="text-align: center;">Bøjning R 1,5 x Da SDR 60°-45°-30°</p> <p>SDR 11 = 110 - 1600 mm. SDR 17 = 110 - 2250 mm. SDR 26 = 560 - 2250 mm. SDR 33 = 110 - 2250 mm. SDR 41 = 560 - 2250 mm.</p>
 <p style="text-align: center;">Lang T - Stykke 90°</p>	 <p style="text-align: center;">Lang RED. T - Stykke</p>	 <p style="text-align: center;">Lang Grenrør 45°</p>	 <p style="text-align: center;">Y Grenrør 45°</p>

ER RØR ApS

IMPORT • HANDEL • MONTAGE

<p>SDR 7,4 = 063 - 225 mm. SDR 11 = 020 - 630 mm. SDR 17 = 050 - 630 mm.</p>	<p>SDR 11 = 063/025 - 500/450 mm. SDR 17 = 063/032 - 500/450 mm.</p>	<p>SDR 11 = 040 - 315 mm. SDR 17 = 040 - 315 mm. Reduceret & Alm. SDR 11/17 = 250/63 - 630/630</p>	<p>SDR 11 = 040 - 225 mm. SDR 17 = 040 - 225 mm.</p>
 <p style="text-align: center;">Fordeler rør</p> <p>SDR 11 = 040/032 - 050/040 mm.</p>	 <p style="text-align: center;">Lang Flange Krave</p> <p>SDR 7,4 = 063 - 225 mm. SDR 11 = 020 - 710 mm. SDR 17 = 050 - 1000 mm.</p>	 <p style="text-align: center;">Special Flange</p> <p>SDR 11 = 090 - 1200 mm. SDR 17 = 090 - 1000 mm.</p>	 <p style="text-align: center;">Lang End kappe</p> <p>SDR 7,4 = 063 - 225 mm. SDR 11 = 020 - 630 mm. SDR 17 = 050 - 630 mm.</p>
 <p style="text-align: center;">Lang Drejet End kappe</p> <p>SDR 11 = 355 - 500 mm</p>	 <p style="text-align: center;">Lang Reduktion</p> <p>SDR 7,4 = 110/063 - 250/225 mm. SDR 11 = 025/020 - 630/500 mm. SDR 17 = 063/032 - 630/500 mm.</p>	 <p style="text-align: center;">Lang Reduktion</p> <p>SDR 11 = 025/020 - 250/225 mm. SDR 17 = 063/050 - 250/225 mm.</p>	 <p style="text-align: center;">Fastgørelsespunkt</p> <p>SDR 11 = 110 - 630 mm. SDR 17 = 110 - 1000 mm.</p>