


TECNODUE Værkstedes maskiner

PL Series

To the "PL" series belong all butt welding machine for the fabrication of segmented fittings like: different radius bands, 90° Tees and Crosses, 45° and 60° Tees.

Depending on the needs of our customer we can supply manual machine for small diameter pipes, hydraulically operated machines or CNC controlled machines

	PL Serie:	
	PL 125	025 – 125 mm.
	PL 160	040 – 160 mm.
	PL 315C T og Kryds	090 – 315 mm. 090 – 250 mm.
	PL 315CNC T og Kryds	090 – 315 mm. 090 – 250 mm.
	PL 400C T og Kryds	090 – 400 mm. 090 – 315 mm.
	PL 400CNC T og Kryds	090 – 400 mm. 090 – 315 mm.
	PL 500CNC T og Kryds	250 – 500 mm. 250 – 400 mm.
	PL 630CNC T og Kryds	315 – 630 mm. 315 – 630 mm.
	PL 800CNC T og Kryds	315 – 800 mm. 315 – 630 mm.
	PL 1000CNC T og Kryds	355 – 1000 mm. 355 – 0800 mm.
	PL 1200CNC T og Kryds	630 – 1200 mm. 630 – 0900 mm.
	PL 1201CNC T og Kryds	630 – 1200 mm. 630 – 1000 mm.
	PL 1600CNC T og Kryds	900 – 1600 mm. 900 – 1200 mm.
	PL 1601CNC T og Kryds	900 – 1600 mm. 900 – 1600 mm.
	PL 2000CNC T og Kryds	1200 – 2000 mm. 1200 – 2000 mm.

ST Series 630 – 800 – 1000 – 1200 mm.

Hydraulically operated workshop band saw machines for cutting PE, PP and thermoplastic materials pipes.



SDI Series

Hydraulically operated machines designed for building PE, PE100 & PP derated reduced tees. It is possible to build a reduced tee with only one welding!



EURO Series 160 – 200 – 315 mm.

Manually operated butt welding machines for PE and PP pipes and fittings. Machines versatile and very light, supplied with a metal frame specially studied for easy operations and transport complete with a drawer which will hold accessories when not in use. The EURO160 and EURO200 machines can be also supplied with a combined wooden transport box. The shape of the clamps let an easy welding of the short spigot bends and Tees.



World Serie: 160 – 250 mm.

Workshop manually operated butt welding machines for PE and PP pipes and fittings. Very strong machines with two light weight alloy carriages (one fixed, the other one sliding). Electric mill cutter with microswitch control on the handle running over on a slide bar. Removable PTFE coated heating mirror with special housing located on the machine, running over on a slide bar. Right and left clamps rotating up to 7,5° highly suitable for welding the short spigot fittings and big radius segmented bends construction. Machines, in frame version, being cap sizable into the frame reduce the overall dimensions for the transport and stocking when not in use.



TE Transportable svejsespejl 140 – 180 – 230 – 300 mm.

Portable butt welding PTFE coated heating mirrors for PE and PP pipes and fittings , supplied with adjustable temperature and support.
On request each mirror can be supplied with a metal box

